

Risk and Resilience, Clinical presentation, and Biomarker Profiles of Chronic Traumatic Encephalopathy and Related Dementias: The DIAGNOSE CTE Research Project II (DxCTE-II)

BIOSPECIMEN COLLECTION & PROCESSING

Overview

- 1. Specimen uniformity and quality
- 2. Site Equipment
- 3. Procedures
 - Kit Contents and Ordering
 - Sample Labelling
 - Sample Collection and Processing
 - Shipping Samples
 - Non-Conformance
- 4. Contact Information

Specimen Uniformity and Quality

GENERAL REMINDERS

Specimen Standardization and Quality

Most biomarkers are sensitive to *time* and *temperature*

- Standardization of processing across sites is key
- Specimens must be processed within 2 hours of collection
- Reference the BioSEND Biomarker Specimen Collection, Processing, and Shipment Manual as needed
- Do not replace or supplement any kit components without first receiving approval from BioSEND/NINDS

Questions? Email biosend@iu.edu

Site Consumables and Equipment

Sites will need to supply the following items:

- Gloves
- Alcohol wipes
- Butterfly needles
- Tourniquet
- Gauze pads
- Bandages
- Microcentrifuge tube rack
- Sharps bin and lid

- Crushed ice
- Pipettes and pipette tips
- Centrifuge capable of maintaining 4°C
- -80°C Freezer
- Dry ice

Procedures

MAINTAINING SPECIMEN UNIFORMITY AND QUALITY

Biospecimen Collection Protocol

Collection Tube	Drawn At	Specimen Type	Aliquot Volume	Total Number of Aliquots	Cryovial Cap Color	Shipping Temperature
4 EDTA (plastic) Blood	BL	Plasma	1.5ml	12	Purple	Frozen
Collection Tubes, 10ml	BL	Buffy Coat	~750ul	4	Clear	Frozen

Kit Contents and Ordering

- All sites will be sent a Supplemental Kit with their first kit shipment
 - Contains extra blood collection tubes and processing supplies
 - May be used to replace items in study visit kits
- Study Visit Kits should be ordered as soon as visits are planned
 - Contains collection, processing, and shipping supplies specific to each visit
 - Includes barcoded labels
 - The supplies/labels in each study visit kit are intended for that visit only


Kit Contents and Ordering – REDCap Survey

https://redcap.link/dxctellkits

Order kits online through the Kit Request Module for:


- Blood kits
- Shipping kits
- Extra Supplies

Please provide as much notice as possible when ordering kits and/or supplies.



Kit Contents and Ordering: Confirm Site Info


DxCTE-II Kit Request Module



Kit Contents and Ordering: Kit Types

DxCTE-II Kit Request Module

- Kits are not specific to a subject or time point. After collection, sites will indicate the subject and time point to which BioSEND should link the samples.
- Standard collection kit for plasma and buffy coat contains supplies for one subject-visit.
- Shipping Kits are ordered independently of Blood Kits
- A single Shipping Kit may be used to send samples for 1-2 cryoboxes



Kit Contents and Ordering: Kit Breakdown

DxCTE-II Kit Request Module

Each Blood Collection Kit contains:

- 4 EDTA tube, 10ml (plastic)
- 12 Cryovial (Sarstedt®) with purple cap, 2ml
- 4 Cryovial (Sarstedt®) with clear cap, 2ml
- 2 Disposable pipette, 3ml
- 4 Resealable tube pouch
- 1 Cryobox, 25 slot
- 1 Specimen/Case label set-- Kit numbers

Kit contents of selected kit will appear at the bottom of the page

Kit Contents and Ordering: Kits

Blood Kit (frozen):



Shipping Kit:



Kit and Supply Ordering

- Click "Submit" to send order to BioSEND; staff will confirm receipt of your order
- Please allow two week turn-around time for kit shipments
- If urgent request needed, please note date needed by in comments and email BioSEND. We cannot guarantee urgent orders, but we will do our best to accommodate.
- BioSEND will send confirmation of shipment and tracking number when supplies ship

Sample Labelling: Example Labels

Labels are provided by Indiana University

- Please check that all samples are properly labelled to ensure correct identification by IU
- If do not have enough labels to complete a visit, please contact IU immediately
- Labelling the tubes during processing prevents sample mix-ups





Sample Labelling: Label Placement

Please...

- Label all collection and aliquot tubes before cooling, collecting, processing, or freezing samples
- Label only 1 subject's tubes at a time to avoid mix-ups
- Wrap the label around the tube horizontally label position is important for all tube types
- Make sure the label is completely adhered by rolling between your fingers






Collection Volumes


Total blood volumes

Sample Type	Amount
Whole Blood for Plasma and Buffy Coat	40 ml

Supplies provided for the collection of plasma and buffy coat




Sample Collection and Processing: Plasma & Buffy Coat



Sample Collection and Processing: Aliquots

Filling biomarker plasma aliquots:


- Fill as many cryovials as possible to 1.5 ml (plasma)
- Over-filled vials may burst in freezer!
- Ship ALL material to IU, even if final vial is less than standard volume





Sample Collection and Processing: Timeline

Timeline for blood processing



Sample Collection and Processing: Issue #1

Troubleshooting Blood Collection

Issue #1: Tube with little/no vacuum

- Always check expiration date on the tube before beginning blood draw and discard expired tubes
- Store tubes at "room temperature" extreme temperature can affect vacuum
- Keep extra vacutainer tubes from supplemental kit nearby during blood draw to replace "bad" tubes
- If this is a frequent occurrence, report tube type and lot number to IU.

Sample Collection and Processing: Issue #2

Troubleshooting Blood Collection

Issue #2: Hemolyzed plasma caused by incorrect collection

Cause: Blood Collection Methods	Corrective Action	
Improper venipuncture site	Draw from median cubital, basalic, and cephalic veins from antecubital region of arm	
Prolonged tourniquet use	Tourniquet should be released after no more than 1 min, excessive fist clenching should be avoided	
Not allowing alcohol to dry on skin before venipuncture	Without touching, allow the venipuncture site to air dry	
Use of too large/small bore needle resulting in excess force applied to blood	Avoid using too small/large needle. Needle size dependent on the subject's physical characteristics & amount of blood to be drawn. Most commonly used sizes are 19 – 23.	
Pulling/pushing plunger too fast while drawing/transferring blood	Avoid drawing the syringe plunger too forcefully when collecting blood	
Ensure all blood collection assemblies are fitted securely, to avoid frothing		

For more information, visit: http://www.bd.com/vacutainer/pdfs/techtalk/TechTalk_Jan2004_VS7167.pdf

Sample Collection and Processing: Issue #2 continued

Troubleshooting Blood Collection

Issue #2: Hemolyzed plasma caused by incorrect processing

Cause: Sample Processing Methods	Corrective Actions
Vigorous mixing/shaking	Gently invert blood collection tube when mixing additive with specimen, follow guidelines in Biologics Manual regarding number of times to invert each type of tube
Not allowing serum to clot for recommended time	Serum tubes without clot activator should be allowed to clot for 60 min in a vertical position
Exposure to excessive heat or cold	Keep samples at ambient temperature until processing
Prolonged contact of serum/plasma with cells	Do not store uncentrifuged samples beyond recommended time

For more information, visit: http://www.bd.com/vacutainer/pdfs/techtalk/TechTalk_Jan2004_VS7167.pdf

Specimen Collection and Processing Form

Direct Link for Duke:

https://redcap.link/DXCTEIISampleF <u>orm</u>

First page captures basic subject and visit information



C Returning?

AAA

+ -


Biospecimen Exchange for Neurological Disorders

Protocol: Diagnose Chronic Traumatic Encephalopathy Phase II (DxCTE-II)

Please complete the Specimen Collection and Processing Form, below.

Page 1 of
Dxcte-II 🗸
~
~
~
age >>
turn Later

Second page captures processing information



PDF form of responses will be emailed to you. Print a copy of the Frozen Shipping Manifest and include with shipment.

Confidential Page 3

DxCTE-II Frozen Shipping Manifest

Please verify/update the information below. When you click the "Submit" button below, a PDF copy of the Frozen Shipping Manifest will be emailed to you for Subject [subj_id].

Please print a copy of that document and include it in the Kit #[kit_num] shipping container.

Study		
Study Site:		
Study ID:		
Visit:		
IU Kit Number:		
Date of blood collection:		
bate of blood collection.		
PLASMA EDTA		
Number of PLASMA EDTA aliquots shipped:		
Number of BUFFY COAT aliquots shipped:		
Shipping Information - Please complete.		
	and a state of the Paterna I amount of the	
Frozen shipments should be sent Monday-Wednesday only. Pleas Contact us at biosend@iu.edu if you are unsure whether or not it	e check for holiday closures prior t is safe to ship.	o shipping.
Date of shipment:		
	○ Yes	
shipping label?	○ No	
Which shipping service did you use?	○ UPS	
	○ FedEx ○ World Courier	
	Other	
What is the shipment tracking number?		
Tribe to the original trade and tribe to		

01/16/2025 1:55pm projectredcap.org REDCap®


Submission of the Shipping Manifest portion of the form serves as shipment notification to BioSEND

- Must be completed prior to shipment
- If samples are shipped and not received, BioSEND will followup with courier. It is recommended that sites also track shipment to ensure safe delivery

Shipping Samples

Packing and Shipping Frozen Samples


UPS Dry Ice label should not be covered with other stickers and must be completed, or UPS will reject/return your package!



Shipping Frozen Samples: Tips

Packing and Shipping Frozen Samples

- All DxCTE-II samples ship frozen
- Ship frozen samples on dry ice
- Frozen samples should be shipped only Monday through Wednesday
- Always fill carton to top with dry ice
- Do not pack shipment until the day of pickup



Shipping Samples: Frozen


Do not ship more than 2 biohazard bags in a single shipper (equivalent to two subject-visits).

- Allows room for dry ice to keep samples frozen in transit
- Minimizes loss in the rare but unfortunate event of courier issues





Shipping Samples – UPS: https://kits.iu.edu/UPS



Shipping Samples via UPS

IU UPS ShipExec Shipping Portal

- Print out UPS air waybill
- Ensure all elements
 (barcode, return address, etc.) printed clearly
- Fold and insert UPS air waybill into clear plastic sleeve on package

JOHN SMITH INDIANA UNIVERSITY 410 WEST 10TH STREET INDIANAPOLIS IN 46202 2 LBS

1 OF 1

RS

SHIP TO:

SCHOOL OF MEDICINE 317-278-2694 INDIANA UNIVERSITY TK 217 351 W 10TH ST

INDIANAPOLIS IN 46202



IN 461 9-01



UPS NEXT DAY AIR

TRACKING #: 1Z 976 R8W 84 3985 8595

1



BILLING:

DESC: Biological Specimens RETURN SERVICE

Reference No.1: 4087277

OL 20.03.09 NV45 83.0A 12/



Shipping Samples: Closures

Date	Holiday
January 1	New Year's Day
3 rd Monday in January	Martin Luther King, Jr Day
4 th Monday in May	Memorial Day
June 19	Juneteenth (observed)
July 4	Independence Day (observed)
1 st Monday in September	Labor Day
4 th Thursday in November	Thanksgiving
4 th Friday in November	Friday after Thanksgiving
December 25	Christmas

Please also consider weather when shipping. UPS will post service updates on their webpage. Reach out to BioSEND if you an unsure if it is safe to ship.

Non-Conformance

Non-conformance to standard procedures may reduce the utility of the biospecimens:

- Not processing plasma within 2 hours of collection allows for breakdown of certain proteins and small molecules
- Over/under centrifuging changes plasma composition



Non-Conformance Reporting con't

Most common non-conformance issues:

- Shipment notification not sent
- Samples shipped for weekend/holiday delivery
- Sample form incomplete/inaccurate
- Low volume
- Unlabeled or mislabeled tube(s)
- Sample hemolysis



Non-Conformance and Inventory Reporting

Most common non-conformance issues:

- BioSEND will notify sites directly of any issues upon receipt
- BioSEND will email sites a monthly inventory report of all samples received from that site to date
- If you are experiencing issues, please reach out to us for help! It is much easier to prevent an issue before sample collection & shipment than trying to fix it after the fact

BioSEND.org

On the website, you can:

- Access your study's kit request module and sample submission form
- Download the most recent version of the Manual of Procedures
- View a recording of this training
- Find information about holiday closures
- Access shipping resources

Study Resources

KIT REQUEST MODULE

Please follow the below link to access the Kit Request Module. This link will direct you to a REDCap database where study coordinators and staff may request kits, individual supplies, and/or labels. Please allow a total of two weeks for kit requests to be fulfilled.

Kit Request System →

SPECIMEN COLLECTION AND PROCESSING FORM

Please use the below link to access the collection and processing form for this protocol. This form must be completed prior to shipment. We also ask that all shipments include a physical copy of the shipping manifest portion of the form.

Specimen Collection and Processing Form →

MANUAL OF PROCEDURES

The below downloadable manual was created specifically for the DxCTEII study. Please feel free to explore the manual through the hyperlinked 'Table of Contents'. Questions concerning any part of the manual may be directed to biosend@iu.edu for further clarification.

Manual of Procedures 🕹

TRAINING SLIDES

These slides correspond to the BioSEND DxCTEII protocol training. Training is available upon request by contacting biosend@iu.edu.

Training Slides 🕹

SAMPLE SHIPPING

BioSEND can receive samples Monday-Friday, excluding holidays. Frozen samples should be shipped M-W. Ambient samples may be shipped on Th.

Generate UPS airbill or schedule pickup →
Check holiday closures →
What do I do for Friday blood draws →

Contacts

Indiana University

General Questions/Shipment Notifications:

biosend@iu.edu

317-278-6158

Request kits:

https://redcap.link/dxctellkits