

National Institute of Neurological Disorders and Stroke
Biorepository:

BioSpecimen Exchange for Neurological Disorders, BioSEND

Biospecimen Collection, Processing, and Shipment Manual for
Microbiome-gut-brain dysfunction in prodromal and
symptomatic Lewy body diseases (GutBrainLBD)

Table of Contents

1.0	Purpose	4
2.0	Abbreviations	4
3.0	BioSEND Information	5
3.1	BioSEND Contacts	
3.2	Hours of Operation	
3.3	Holiday Schedules	
3.4	Holiday Observations	
4.0	BioSEND Sample Requirements	7
4.1	Protocol Schedule for Biospecimen Submission – GutBrainLBD	
5.0	Specimen Collection Kits, Shipping and Supplies	9
5.1	Kit Supply to Study Sites	
5.2	Specimen Collection Kit General Contents	
5.3	Specimen Collection Kit Contents – GutBrainLBD	
5.4	Site Required Equipment	
6.0	Specimen Labels	13
6.1	Types of Labels	
6.2	Affixing Labels	
7.0	Specimen Collection and Processing Procedures	15
7.1	Blood Collection Protocols	
7.2	Filling Aliquot Tubes	
8.0	Packaging and Shipping Instructions	17
8.1	Sample Collection and Processing Form	
8.2	Shipping Instructions	
8.3	Shipping Address	
9.0	Reconciliation and Non-Conformance	19
10.0	Appendices	20

- Appendix B: Whole Blood Collection for Isolation of Plasma and Buffy Coat
- Appendix D: Whole Blood Collection (No Processing)
- Appendix I: Specimen Collection and Processing Form (for Frozen Shipments)
- Appendix K: Frozen Shipping Instructions
- Appendix Q: UPS ShipExec™ Thin Client Instructions
- Appendix R: Stool Collection Instructions for Study Site Personnel
- Appendix S: Stool Collection Instructions for Participant
- Appendix T: Stool Sample and Shipment Notification Form
- Appendix U: Urine Collection

1.0 PURPOSE

The purpose of this manual is to provide collection site staff (PIs, study coordinators, and the sample collection and processing teams) at various study sites with instructions for collection and submission of biological samples. It includes instructions for biospecimen submission to the BioSpecimen Exchange for Neurological Disorders (BioSEND) located at Indiana University.

This manual includes instructions for the collection, processing, aliquoting and shipping of the following samples:

- Plasma
- Buffy Coat (for DNA extraction)
- Whole Blood
- Urine
- Stool

These procedures are relevant to all study personnel responsible for processing blood specimens to be submitted to BioSEND.

2.0 ABBREVIATIONS

BioSEND	BioSpecimen Exchange for Neurological Disorders
EDTA	Ethylene Diamine Tetra-acetic Acid
IATA	International Air Transport Association
PDBP	Parkinson's Disease Biomarkers Program
RBC	Red Blood Cells
RCF	Relative Centrifugal Force
RPM	Revolutions Per Minute
LBD	Lewy Body Dementia

3.0 BioSEND INFORMATION

3.1 BioSEND Contacts

Tatiana Foroud, PhD, Principal Investigator
Phone: 317-274-2218

Claire Wegel, Project Manager
Phone: 317-278-6158
Email: cwegel@iu.edu

General BioSEND Contact Information
Email: biosend@iu.edu
Website: www.BioSEND.org

Sample Shipment Mailing Address
BioSEND
Indiana University School of Medicine
351 W. 10th Street. TK-217
Indianapolis, IN 46202-5188

3.2 Hours of Operation

Indiana University business hours are from 8 AM to 5 PM Eastern Time, Monday through Friday.

Frozen samples must be shipped Monday- Wednesday only.

Check the weather reports and the shipping courier website to make sure impending weather events (blizzards, hurricanes, etc.) will not impact the shipping or delivery of the samples. Couriers often report anticipated weather delays on their website.

3.3 Holiday Schedules

- Please note that courier services may observe a different set of holidays. Please be sure to verify shipping dates with your courier prior to any holiday.

3.4 Holiday Observations

Date	Holiday
January 1	New Year's Day
3 rd Monday in January	Martin Luther King, Jr Day
4 th Monday in May	Memorial Day
June 19	Juneteenth (observed)
July 4	Independence Day (observed)
1 st Monday in September	Labor Day
4 th Thursday in November	Thanksgiving
4 th Friday in November	Friday after Thanksgiving
December 25	Christmas Day

Please note that BioSEND has extended closures to inbound shipments around the Thanksgiving and Christmas holidays. In addition to sending advance notification of these closures to sites, dates will be posted on the BioSEND website. Frozen specimens collected during this period should be held at your site to ship after the first business day in January. If you are ever unsure if it is safe to ship samples, please email biosend@iu.edu to confirm.

4.0 BIOSEND SAMPLE REQUIREMENTS

NINDS approves each study for a specific biospecimen collection protocol. Studies and study sites should make every effort to meet their approved biospecimen collection requirements. The expected number of samples from each site that should be returned to BioSEND are listed in [sections 4.1-4.2](#).

If a sample is not obtained at a particular visit, this should be recorded in the notes section of the Specimen Collection and Processing Form (**see Appendix I**). This form is submitted with your frozen sample shipment to BioSEND.

4.1 Protocol Schedule for Biospecimen Submission to BioSEND - GutBrainLBD

Visit (month)	BL
Plasma aliquots, 1.5ml*	6
Buffy Coat*	2
Whole Blood, 3ml	1
Urine, 10ml	2
Stool	2

**Note that BioSEND will provide additional supplies for plasma and buffy coat to be retain by site. These samples should be labeled and stored per local site protocols.*

5.0 SPECIMEN COLLECTION KITS, SHIPPING KITS AND SUPPLIES

Research specimen collection kits (except dry ice and equipment listed in Section 5.7) will be provided by BioSEND. BioSEND will provide a sufficient number of labels only for those specimens that are to be shipped back to the BioSEND repository. Any specimens that will remain at the collection site should be labeled accordingly. Ensure that all tubes are properly labeled during processing and at the time of shipment according to [Section 6.2](#).

5.1 Kit Supply to Study Sites

Kits and individual kit components (ie, “Extra Supplies”) can be ordered as required through the kit request module. Sites are advised to proactively confirm kits are on hand ahead of study visits.

The link to the kit request module is shown below:

- GutBrainLBD: <http://kits.iu.edu/biosend/gutbrainlbd>

Please allow **TWO weeks** for kit orders to be processed and delivered.

5.2 Specimen Collection Kit Contents

Collection kits contain the following (for each subject) as designated per your protocol and/or NINDS resource development agreement. Do not replace or supplement any of the tubes or kit components provided with your own supplies unless you have received approval from the NINDS/BioSEND Study team to do so. Please store all kits at room temperature until use

GutBrainLBD Specimen Collection Kit	
Supply	Amount
Cryovial (Sarstedt®) with purple cap, 2ml	9
Cryovial (Sarstedt®) with clear cap, 2ml	2
EDTA (plastic) tube, 10ml	3
EDTA (plastic) tube, 3ml	1
Bubble-tube sleeve	2
Urine Cup	1
Conical Tube (15mL)	2
Disposable pipet, 3ml	2
Cryobox, 25 cell	1
ME-200 stool kit	1
OMR-200 stool kit	1
Toilet accessory	1
Spoon/spatula accessory	1
Label set (case & specimen labels)	1

Ambient Stool Shipping Kit	
Supply	Amount
Plastic biohazard bag with absorbent sheet	1
Small IATA shipping box with insulated cooler	1
Cold Pack	1
List of contents card	1
UN3373 Biological Substance Category B label	1
Fragile Label	1
Biohazard Label	1
Seal Strip	1
List of contents card	1
"E" Hazardous Materials in Exempt Quantity Label	1
USPS Express Shipping Label	1
USPS Postage Sticker	1

Frozen Blood/Urine Shipping Kit*	
Supply	Amount
Plastic Biohazard bag with absorbent sheet	4
UPS Airbill Sleeve	1
Shipping box/Styrofoam container	1
UN3373 Category B Label	1
Fragile label	1
Dry ice label	1

*Note: one kit contains the supplies to ship samples for up to two subject-visits (ie, 4 total biohazard bags of samples)

GutBrainLBD Supplemental Kit	
Supply	Amount
Cryovial (Sarstedt®) with purple cap, 2ml	10
Cryovial (Sarstedt®) with clear cap, 2ml	10
EDTA (plastic) tube, 10ml	5
EDTA (plastic) tube, 3ml	5
Bubble-tube sleeve	5
Urine Cup	3
Conical Tube (15mL)	5
Disposable pipet, 3ml	10
Cryobox, 25 cell	3
ME-200 stool kit	3
OMR-200 stool kit	3
Toilet accessory	3
Spoon accessory	3
Plastic Biohazard bag with absorbent sheet	5
UN3373 Category B Label	3
Fragile label	3
Dry ice label	3

5.4 Site Required Equipment

The following materials and equipment are necessary for the processing of specimens at the collection site and are to be **supplied by the local site**:

- Personal Protective Equipment: lab coat, nitrile/latex gloves, safety glasses
- Tourniquets
- Alcohol Prep Pads
- Gauze Pads
- Bandages
- Butterfly needles and hubs
- Microcentrifuge tube rack
- Test tube rack
- Sharps bin and lid

In order to process samples consistently across all projects and ensure the highest quality samples possible, project sites must have access to the following equipment:

- Centrifuge capable of ≥ 1500 rcf (1500 x g) with refrigeration to 4°C
- -80°C Freezer

In order to ship specimens, you must provide:

- Dry ice (minimum 10 pounds per shipment)

6.0 SPECIMEN LABELS


Labels must be affixed on all collection and aliquot tubes to ensure unique specimen identity. BioSEND provides labels for all samples being collected and returned to BioSEND. The site is responsible for providing labels for biospecimens that will be retained at the site. If labels are provided but the sample is not collected, please discard the unused labels.

6.1 Types of Labels

Each kit contains all labels required for the return of biospecimens to BioSEND.



The **Kit Labels** do not indicate a specimen type, but are affixed on BioSEND forms and on packaging materials. See shipping appendices for further instructions.




The **Specimen Labels** are placed on all sample collection and aliquot tubes. See processing appendices for further instructions.

6.2 Affixing Labels

In order to ensure the label adheres properly and remains on the tube, follow these instructions:

- Place specimen labels on **ALL** collection tubes and cryovials **BEFORE** sample collection, sample processing, or freezing. This will help to ensure the label properly adheres to the tube before exposure to moisture or different temperatures.
- The blood collection tube labels contain a 2D barcode on the left hand side of the label. When turned horizontally, the barcode should be closer to the top (cap end) of the tube.
- Place label **horizontally** on the tube (wrapped around sideways if the tube is upright); see below.



- Take a moment to ensure the label is **completely affixed** to each tube. It may be helpful to roll the tube between your fingers after applying the label.

7.0 SPECIMEN COLLECTION AND PROCESSING PROCEDURES


Consistency in sample collection and processing is essential for biomarker studies. All samples are drawn in the same order and then processed in a uniform fashion. **Please read the instructions before collecting any specimens. Have all your supplies and equipment out and prepared prior to drawing blood.**

7.1 Blood Collection Protocols

- Appendix B: Whole Blood Collection for Isolation of Plasma and Buffy Coat
- Appendix D: Whole Blood Collection (No Processing)

7.4 Filling Aliquot Tubes (Plasma)

In order to ensure that BioSEND receives a sufficient amount of sample for processing and storage, and to avoid cracking of the tubes prior to shipment, each aliquot tube should be filled to the assigned volume (refer to detailed processing instructions for average yield per sample). Over-filled tubes may burst once placed in the freezer, resulting in a loss of that sample. Each site is supplied with sufficient collection tubes to provide the specimen volume described in the Protocol Schedules for Biospecimen Submission ([see Section 4](#)). Specimens collected in addition to those described in Section 4 are collected at the site's discretion and are not returned to BioSEND.



8.0 Packaging and Shipping Instructions

ALL study personnel responsible for shipping should be certified in biospecimen shipping. If not available at your institution, training and certification is available through the CITI training site (Course titled “Shipping and Transport of Regulated Biological Materials” at <https://www.citiprogram.org/>).

8.1 Specimen Collection and Processing Form

The Specimen Collection and Processing Form should be completed for all samples submitted to BioSEND. Please see Appendix I for further instructions.

8.2 Shipping Instructions

There are two types of shipments (ambient and frozen) that are used to send samples back to BioSEND.

Samples that ship ambient (room temperature): Reference Appendix R and S for ambient shipping instructions.

- Stool Sample

Samples that ship frozen: Please reference Appendix K for frozen shipping instructions and Appendix Q for generating airbills and scheduling pick-ups.

- Plasma aliquots (1.5ml)
- Buffy Coat aliquots
- Whole Blood (3ml tube)
- Conicals of urine (15ml)

8.3 Shipping Address

All samples are shipped to the BioSEND laboratory:

BioSEND
Indiana University School of Medicine
351 W. 10th Street. TK-217
Indianapolis, IN 46202-5188

9.0 Reconciliation and Non-Conformance

Appendix I must be completed the day that samples are collected to capture information related to sample collection and processing. This form includes information that will be used to reconcile sample collection and receipt, as well as information essential to future analyses.

BioSEND will contact the site as soon as possible when a discrepancy or issue is found with either the samples or paperwork.

Common non-conformance issues that will result in BioSEND staff contacting your site include:

- Missing samples (samples documented on the sample form that are not physically present in the shipment)
- Incorrect samples collected and shipped
- Damaged or incorrectly prepared samples
- Unlabeled or mislabeled samples
- Samples frozen and stored longer than three months at the site

10.0 APPENDICES

- Appendix B: Whole Blood Collection for Isolation of Plasma and Buffy Coat
- Appendix D: Whole Blood Collection (No Processing)
- Appendix I: Specimen Collection and Processing Form (for Frozen Shipments)
- Appendix K: Frozen Shipping Instructions
- Appendix Q: UPS ShipExec™ Thin Client Instructions
- Appendix R: Stool Collection Instructions for Study Site Personnel
- Appendix S: Stool Collection Instructions for Participant
- Appendix T: Stool Sample and Shipment Notification Form
- Appendix U: Urine Collection

Appendix B – Whole Blood Collection for Plasma and Buffy Coat

Whole Blood Collection for Plasma and Buffy Coat using 10 ml EDTA (plastic) tubes


1. Store empty EDTA (plastic) tubes at room temperature 64°F – 77°F (18°C to 25°C) prior to use.
2. Place “PLASMA” specimen labels on the six purple-capped 2 ml cryovial tubes. Place “BUFFY COAT” specimen labels on the two clear-capped 2ml cryovial tubes. Any additional samples to be collected and retained by the site should be labeled accordingly. BioSEND only provides labels for
3. Pre-chill the labeled cryovials on wet ice for at least 5 minutes.
4. Set centrifuge to 4°C to pre-chill before use. Time needed to pre-chill the centrifuge to 4°C will depend on your centrifuge model.
5. Using a blood collection set and a holder, collect blood into the purple top 10 ml EDTA (plastic) tubes using your institution's recommended procedure for standard venipuncture technique.

The following techniques shall be used to prevent possible backflow:

- a. Place donor's arm in a downward position.
 - b. Hold tube in a vertical position, below the donor's arm during blood collection.
 - c. Release tourniquet as soon as blood starts to flow into the tube.
 - d. Make sure tube additives do not touch stopper or end of the needle during venipuncture.
6. Allow at least 10 seconds for a complete blood draw to take place in each tube. Ensure that the blood has stopped flowing into the tube before removing the tube from the holder. The tube vacuum is designed to draw 10 ml of blood into the tube.
 7. Immediately after blood collection, gently invert/mix (180 degree turns) the EDTA tubes 8 – 10 times. **Do not shake the tubes!**
 8. Within 30 minutes of blood collection, centrifuge balanced tubes for 15 minutes at 1500 RCF (x g) at 4°C. It is critical that the tubes be centrifuged at the appropriate speed and temperature to ensure proper plasma separation.
 9. Remove the plasma by tilting the tube and placing the pipette tip along the lower side of the wall. **Use caution not to touch the buffy coat or packed red blood cells at the bottom of the tube so that the plasma is not contaminated** (see below). Using a disposable tipped micropipette, transfer plasma into the purple-capped cryovials. Aliquot 1.5 ml per cryovial to be returned to BioSEND. If you cannot obtain 6 plasma aliquots, please note “low volume



draw” on the Sample Collection and Processing form (Appendix I). Each 10 ml EDTA tube should yield approximately 4-5 ml of plasma.

10. After plasma has been removed from the EDTA tubes, aliquot buffy coat layer (see figure below) into clear-capped cryovial using a disposable graduated micropipette. All of the buffy coat from a single 10 ml EDTA tube will be placed into one cryovial, resulting in one buffy coat aliquots per EDTA tube. The buffy coat aliquot is expected to have a reddish color from the red blood cells.



11. After plasma and buffy coat has been aliquoted into cryovials, **discard** the 10ml EDTA collection tubes. Do not send these tubes to BioSEND.
12. Complete the Sample Collection and Processing Form (Appendix I).
13. Place the labeled cryovials in the 25 slot cryobox. Place the cryobox UPRIGHT on dry ice. Transfer to **-80°C freezer as soon as possible, within 2 hours of blood draw**. Store all samples at -80°C until shipped to BioSEND on dry ice.
14. Ship six 1.5ml frozen plasma aliquots and two buffy coat aliquots to BioSEND according to Appendix K – Frozen Shipping Instructions.

Plasma Preparation –10 ml EDTA (Purple Top) Tube




Appendix D – Whole Blood Collection (No Processing)

One 3ml Purple-Top EDTA Tube is provided by BioSEND for Whole Blood collection (to be shipped to BioSEND FROZEN; no processing required).

1. Store empty tubes and collection supplies at room temperature, 64°F - 77°F (18°C to 25°C) before use.
2. Place pre-printed specimen label (WBLD) on the **one 3ml purple top EDTA tube** prior to blood draw.
3. Using a blood collection set and a holder, collect whole blood into the tubes using your institution's recommended procedure for standard venipuncture technique.

0001234567

 BioSEND

ST-10001234

BL

WBLD

The following techniques shall be used to prevent possible backflow:

- a. Place donor's arm in a downward position.
 - b. Hold tube in a vertical position, below the donor's arm during blood collection.
 - c. Release tourniquet as soon as blood starts to flow into tube.
 - d. Make sure tube additives do not touch stopper or end of the needle during venipuncture.
4. **Immediately after blood collection, gently invert/mix (180 degree turns) the EDTA tube 8-10 times. Do not shake the tube!**
 5. Complete the Sample Collection and Processing Form (Appendix I).
 6. Place the Purple-Top EDTA in a **WIRE** or **PLASTIC** rack. Do **NOT** use a Styrofoam rack. This will cause the Purple-Top EDTA tube to crack when frozen. Place the Purple-Top EDTA tube immediately to a **-80°C Freezer**.
 7. Ship the whole blood tube to BioSEND according to **Appendix K - Frozen Shipping Instructions**.

WBLD Preparation – 1 x 3 ml K2 EDTA (Purple Top) Tube

Step One




- Store tube at room temperature.
- Label tube with preprinted WBLD label prior to blood draw.

Step Two



- Collect blood into 3ml EDTA tube, allowing blood to flow for 10 seconds and ensuring blood flow has stopped.

Step Three



- Immediately after blood draw, invert tube 8-10 times to mix sample.

Step Four



- Transfer to -80°C. Store upright and keep frozen until shipment to BioSEND.

Appendix I – Sample Collection and Processing Form

A Sample Collection and Processing Form must be completed for each subject-visit submitted to BioSEND. This form includes a Frozen Shipping Manifest that should be completed in advance of shipping to BioSEND also be physically included in the shipper. The form can be completed via REDCap by following the bellow link:

- **Link to Sample Collection and Processing Form:**
<https://redcap.uits.iu.edu/surveys/?s=YWR4D48J847TYMJ>

Please note that there is a Save & Return option at the bottom of the survey. This may be used if, for example, you are ready to complete the Collection and Processing portion of the form, but not yet ready to complete the Frozen Shipping Manifest.

It is preferred that you complete the form online via the REDCap link above. However, a copy of the printed form is available on the following pages, should you need a back-up option. Please note that if you do not complete the form online, you will need to email a copy of the form directly to biosend@iu.edu prior to shipment.

GutBrainLBD Specimen Collection And Processing Form

Please complete the Specimen Collection and Processing Form, below.

Study GutBrainLBD

Study Site Mind Research Network

Email address of staff member completing this form _____

Note: A copy of the completed sample form and the shipping manifests will be sent to this address.

Clinical ID: _____

Subject's biological sex (used for DNA quality control) Male
 Female
 Other

Visit BL

IU Kit Number _____

Blood Collection and Processing

Date of venipuncture blood collection _____

Time of venipuncture blood collection _____
(Use 24 Hour clock.)

Date participant last ate _____

Time participant last ate _____
(Use 24 Hour clock)

1. PLASMA and BUFFY COAT (Purple-top EDTA tube, 10 mL)

Was blood collected and processed for PLASMA EDTA? Yes No

Time of PLASMA EDTA tube centrifugation _____
(Use 24 Hour clock)

Duration of PLASMA EDTA tube centrifugation _____
(minutes)

Rate of PLASMA EDTA tube centrifugation _____
(x g)

Temperature of PLASMA EDTA tube centrifugation _____
(degrees Celsius)

Number of PLASMA EDTA aliquots created for BioSEND _____
(Each aliquot should be 1.5 mL)

Number of BUFFY COAT aliquots created for BioSEND _____

Time PLASMA EDTA and BUFFY COAT were placed in freezer _____
(Use 24 Hour clock.)

PLASMA EDTA and BUFFY COAT storage temperature _____
(degrees Celsius)

PLASMA EDTA notes _____

2. WHOLE BLOOD (EDTA tube, 3 mL)

Was blood collected for WBLD?

- Yes
- No

Time WBLD was placed in freezer

(Use 24 Hour clock)

WBLD storage temperature

(degrees Celsius)

WHOLE BLOOD notes

Urine Collection and Processing

Was URINE collected? Yes
 No

Date of URINE collection _____

Time of URINE collection _____
(Use 24 Hour clock)

Date participant last ate _____

Time participant last ate _____
(Use 24 Hour clock)

Total volume of URINE collected _____
(mL)

Number of URINE conicals created _____
(Each conical should be filled to 10mL)

Time URINE samples were placed in freezer _____
(Use 24 Hour clock)

URINE storage temperature _____
(degrees Celsius)

URINE notes _____

GutBrainLBD Frozen Shipping Manifest

Please verify/update the information below. When you click the "Submit" button below, a PDF copy of the Frozen Shipping Manifest will be emailed to you for Subject [subj_id].

Please print a copy of that document and include it in the Kit #[kit_num] shipping container.

Study GutBrainLBD

Study Site: Mind Research Network

Clinical ID: _____

Visit: BL

IU Kit Number: _____

Date of blood collection: _____

PLASMA EDTA

Number of PLASMA EDTA aliquots shipped: _____

Number of BUFFY COAT aliquots shipped: _____

WHOLE BLOOD EDTA

Number of WHOLE BLOOD tubes shipped: _____

URINE

Number of URINE conicals shipped: _____

Shipping Information - Please complete.

Frozen shipments should be sent Monday-Wednesday only. Please check for holiday closures prior to shipping. Contact us at biosend@iu.edu if you are unsure whether or not it is safe to ship.

Date of shipment: _____

Did/will you use the IU UPS interface to generate the shipping label? Yes No

Which shipping service did you use? UPS FedEx World Courier Other

What is the shipment tracking number?

Appendix K – Frozen Shipping Instructions

IMPORTANT!

Frozen samples must be shipped Monday – Wednesday only,
using Next Day Air delivery

Please be aware of holidays and inclement weather and plan your shipments accordingly. Reach out to biosend@iu.edu if you have any questions

Specimens being shipped to BioSEND are Category B UN3373 specimens and as such must be triple packaged and compliant with IATA Packing Instructions. *See the latest eEdition of the IATA regulations for complete documentation.*

Triple packaging consists of a primary receptacle(s), a secondary packaging, and a rigid outer packaging. The primary receptacles must be packed in secondary packaging in such a way that, under normal conditions of transport, they cannot break, be punctured, or leak their contents into the secondary packaging. Secondary packaging must be secured in outer packaging with suitable cushioning material. Any leakage of the contents must not compromise the integrity of the cushioning material or of the outer packaging.

IATA Packing and Labeling Guidelines

- The primary receptacle (cryovials or blood collection tubes) must be leak proof and must not contain more than 1 L total.
- The secondary packaging (plastic canister or biohazard bag) must be leak proof and if multiple blood tubes are placed in a single secondary packaging, they must be either individually wrapped or separated to prevent direct contact with adjacent blood tubes.
- Absorbent material must be placed between the primary receptacle (cryovials or blood collection tubes) and the secondary packaging. The absorbent material must be of sufficient quantity to absorb the entire contents of the specimens being shipped. Examples of absorbent material are paper towels, absorbent pads, cotton balls, or cellulose wadding.
- A shipping manifest listing the specimens being shipped must be included between the secondary and outer packaging.
- The outer shipping container must display the following labels:
 - ✓ Sender's name and address
 - ✓ Recipient's name and address
 - ✓ Responsible persons (shipper and recipient)
 - ✓ The words "Biological Substance, Category B"
 - ✓ UN3373
 - ✓ Class 9 label including UN 1845, and net weight of dry ice contained

BioSEND Packaging and Shipment Instructions – Frozen Shipments

1. Generate airway bill and schedule courier pick-up, as needed. Airway bills should be generated day of shipment to avoid errors in billing.
 - For instructions on generating airway bills and scheduling using the UPS ShipExec™ Thin Client system, see Appendix Q.
2. Record the tracking number onto the Shipping Manifest portion of the Sample Collection and Processing Form (see Appendix I for details).
3. Print a copy of the Sample Collection and Processing form.
4. Place all frozen labeled cryovials in the cryobox. Only include specimens from one subject in each cryobox.
5. Place the cryobox in a plastic biohazard bag (do NOT remove the absorbent material found in the bag), and seal the biohazard bag according to the instructions on the bag. Affix a Kit Label to the outside of the biohazard bag.




6. Place approximately 2-3 inches of dry ice in the bottom of the Styrofoam® shipping container.
7. Place labeled whole blood tube in provided bubble sleeve and seal. Place each urine conical into its own bubble sleeve and seal.
8. Place the whole blood and urine samples in a plastic biohazard bag (do NOT remove the absorbent material found in the bag), and seal the biohazard bag according to the instructions on the bag. Affix a Kit Label to the outside of the biohazard bag.
9. Place the biohazard bag containing the cryobox into the provided Styrofoam® shipping container on top of the dry ice. Please ensure that the cryobox is placed so that the cryovials are upright in the shipping container (as pictured).



10. Fully cover the cryobox with approximately 2 inches of dry ice. Do not include more than 2 subjects' worth of samples in a single shipper (ie, do not include more than four total biohazard bags).
11. If including additional biohazard bags in package, include a layer of dry ice (approximately 2 inches) between each biohazard bag.
12. The inner Styrofoam® shipping container must contain at least 10 lbs (or 4.5 kg) of dry ice. The dry ice should entirely fill the inner box to ensure the frozen state of the specimens.
13. Replace the lid on the Styrofoam® container. Place the completed Sample Collection and Processing form in the package on top of the Styrofoam® lid for each patient specimen, and close and seal the outer cardboard shipping carton with packing tape.
14. Print a copy of your UPS® airway bill generated through the UPS ShipExec™ Thin Client system (see Appendix Q). Place airway bill into the provided airway bill envelope and affix envelope to package.
15. Complete the Class 9 UN 1845 Dry Ice Label (black and white diamond) with the following information:

- Your name and return address
- Net weight of dry ice in kg (this amount must match the amount recorded on the airway bill)
- Consignee name and address:



BioSEND
IU School of Medicine
351 W. 10th Street
TK-217
Indianapolis, IN 46202

16. Apply all provided warning labels (UN3373, Dry Ice Label and Fragile Label), taking care not to overlap labels with each other or with airway bill.
17. Hold packaged samples in -80°C freezer until time of courier pick-up/drop-off.
18. Specimens should be sent to the address below. Frozen shipments should be sent Monday through Wednesday only to avoid shipping delays on Thursday or Friday.

BioSEND
IU School of Medicine
351 W. 10th Street
TK-217
Indianapolis, IN 46202

19. Notify BioSEND of shipment by completing and submitting the Sample Collection and Processing Form with Shipping Manifest in REDCap in advance of shipment. "Submitting" the form will automatically notify BioSEND. If you are having difficulties submitting via REDCap, please notify BioSEND of shipment directly at biosend@iu.edu
20. Use courier tracking system to ensure the delivery occurs as scheduled and is received by BioSEND.

In addition to tracking and reconciliation of samples, the condition and amount of samples received are tracked by BioSEND for each sample type. Investigators and clinical coordinators for each project are responsible for ensuring that the requested amounts of each fluid are collected to the best of their ability and that samples are packed with sufficient amounts of dry ice to avoid thawing in the shipment process.

Appendix Q - UPS ShipExec™ Thin Client Instructions

*** The shipment label in ShipExec should not be created until the day of shipment ***

- 1) Log in to the UPS ShipExec™ Thin Client website: <https://kits.iu.edu/UPS> or <https://kits.iu.edu/ups>.
 - a. To request an account, complete the following survey:
<https://redcap.uits.iu.edu/surveys/?s=88TTWY3KAF>
- 2) Find the “Shipping” dropdown menu in the top left corner of the screen and click on “Shipping and Rating”.
- 3) Once the Indiana University page loads, look for the “Study Group” dropdown menu under “Shipment Information” on the right side of the screen. Choose your study from the dropdown menu.
- 4) After selecting your study, click on the magnifying glass icon on the left side of the screen under “Ship From”.
- 5) An address book and filters will populate the screen. On the right side of the screen, a list of all the site addresses within the study you selected should populate.
 - a. Filter the list down more by looking to the left side of the screen and searching for their address by filling in the “Company”, “Contact”, or “Address 1” fields. Click on the Search button when ready.
 - b. Once you have found your site address, click on the “Select” button to the left of the address.
- 6) Make sure your address populated in the fields under “Ship From” on the main page.
 - a. If you accidentally selected the wrong address, click on the “Reset” button on the bottom right of the screen. After the page reloads and clears the information, select your study again from the “Study Group” menu and click on the magnifying glass icon again to search for your correct address.
 - b. To change the address for your site and study group, please complete the following survey:
<https://redcap.uits.iu.edu/surveys/?s=88TTWY3KAF>
- 7) Enter the total weight of your package in the “Weight” field on the right side of screen under the name of your study.
 - a. Leave the “Dry Ice Weight” field empty or enter “0” if shipping an ambient sample.
- 8) Enter the weight of the dry ice for frozen shipments in the “Dry Ice Weight” field.
 - a. The “Dry Ice Weight” field can *never* be higher than the “Weight” field.
 - b. **(Steps 9-10 can be skipped if you do not need to schedule a pickup)**
- 9) After entering the weights, click on the blue “Pickup Request” button.
- 10) When the Create Pickup Request box pops up, enter information into all the fields provided.
 - a. Enter the “Earliest Time Ready” and “Latest Time Ready” in 24-hour format.
 - i. Schedule pickup at a minimum 1 hour *before* the “Earliest Time Ready”
 - b. Choose a name and phone number that is the best contact if the UPS driver has question related to picking up your package
 - c. Entering the “Room Number” and “Floor” will help the UPS driver locate your package
 - i. The “Floor” field only allows numerical characters while the “Room Number” field is free text.
 - d. Click “Save” when done.
- 11) Once you are certain that all the correct information has been entered, click the “Ship” button in the bottom right corner of the screen.
- 12) If no red error messages pop up at the top of your screen after clicking on “Ship”, then you should have 2 downloaded PDF files: Shipment Receipt & UPS Package Label

- a. Shipment Receipt will list a “Pickup No.” that references your specific package if there is ever an issue with UPS picking up your package
- 13) Print out the UPS airway bill to any printer at your location.
- a. Fold the UPS airway bill and slide it inside the plastic UPS sleeve.
 - b. Peel the back off the plastic UPS sleeve and stick the sleeve to your package, making sure it is laying as flat as possible along the surface of the package.
- 14) Place your package in the spot designated in your pickup request, or wherever your daily UPS pickups occur.
- 15) If you need to reprint your airway bill or void your shipment, click on “History” at the top of the main screen.
- a. If your shipment does not automatically pop up, enter the date of shipment and then click “Search”.
 - b. To reprint your airway bill, click on the printer icon to the far left under “Action”
 - c. To void your shipment, click on the “X” icon to the far left under “Action”
 - i. If you created an airway bill that you no longer need, you must void the shipment to ensure your study will not be charged for the shipment.

Appendix R — Stool Collection Instructions for Study Site Personnel

1. Prior to providing the at-home stool collection supplies to the participant, please label the stool tubes using the provided “STOOL” specimen labels. Include the toilet accessory, spoon/spatula accessory, and seal strip are included with the supplies to be given to the participant.
2. Complete the sections of the Stool Sample and Shipment Notification Form (Appendix T) that are indicated as “For Study Staff to Complete”. In the “Kit Label” box, please affix one of the pre-printed Kit Labels.
3. Email a copy of the partially completed Stool Sample and Shipment Notification Form to biosend@iu.edu . This both serves as notification of an incoming shipment for BioSEND and helps keep record of the sample in the even that the participant loses the form that they take home with them.
4. Prepare the stool shipping box for the participant:
 - a) Apply the Biological Substance Category B UN3373 sticker and "the E" Hazardous Materials in Exempt Quantity Label to side of the box.
 - b) Apply the Fragile and Biohazard labels to the outside of the shipper, ensuring the labels do not overlap.



- c) Apply the BioSEND USPS Express shipping label (1) and the USPS postage sticker (2) to the bottom of the ambient shipper for the subject prior to giving to the participant. **The USPS postage sticker must be placed above the barcode (3) and must not be covered up.**



5. Print off a copy of Appendix S (instructions for the participant) and include with the stool collection supplies and shipper.
6. During the visit, review the instructions for the participant (Appendix S) with the participant, ensuring they understand how to perform the collection and answering any questions they may have. Important directions to emphasize are:
 - a) The participant should place the cold pack in their freezer as soon as possible. This will help ensure the pack is cold enough prior to shipment.
 - b) Ensure the caps of the tubes are securely fastened following collection. If the cap is not tightly sealed onto the tube, the sample may leak during transit, which will result in destruction upon receipt at BioSEND.
 - c) Remind them to accurately record the date and time of stool sample collection on the Stool Sample and Shipment Notification Form
 - d) Samples should be shipped same day of collection

Appendix S — Stool Collection Instructions for Participant

1. After you arrive home with your stool collection and shipping kit, please place the provided cool pack in your freezer. This will allow the pack to sufficiently cool down before you are ready to begin the stool collection.
2. Empty your bladder before beginning the collection.
3. Lift the seat of your toilet and carefully place the provided tissue paper over the toilet bowl, lowering the toilet seat back down onto the paper so that it is held between the toilet seat and toilet bowl. This step helps collect the fecal sample free of urine and toilet water.
4. Sit on the toilet to have a bowel movement as usual.
5. While holding the yellow tube top, unscrew **ONLY** the purple caps from the kit and set aside for later use.

***IMPORTANT:**

- Do NOT remove the yellow tube top.
 - Do NOT spill the stabilizing liquid in the tube.
6. Using the provided collection spatula, collect a small amount of fecal sample.




7. Transfer the fecal sample into each yellow tube top. Repeat until the sample fills the yellow tube tops.

***IMPORTANT:**

- Do NOT push sample into the tubes.
8. Scrape horizontally across the tube top to level the sample and remove any excess. Wipe exterior of tube and top with toilet paper or tissue as needed.
 9. Pick up the purple cap with the solid end facing down and screw onto the yellow tube top until tightly closed. Repeat for second the second yellow tube.



10. Shake the sealed tubes as hard and fast as possible in a back-and-forth motion for a minimum of 30 seconds.



****Please advise and emphasize to the subject that the stool sample contents should reflect Figure B. If the sample arrives not reflecting Figure B then we will notify the site to recollect.**

11. The fecal sample will be mixed with the stabilizing liquid in the tube; not all particles will dissolve.

12. Place spatula in original packaging or wrap in toilet paper and discard in garbage.
13. Once the samples have been collected, please place the tubes in the provided biohazard bag and seal it.
14. Please record the **date and time** of collection on the Stool Sample Form.
15. Place the biohazard bag containing the samples into the Styrofoam portion of the provided shipping box. Remove the cold pack from your freezer and place it in the shipping box next to the samples. Close the Styrofoam box with the Styrofoam lid.
16. Fold the Stool Sample Form and place it on top of the Styrofoam box. Use the provided seal strip to close the outer cardboard box.
17. Note that samples should be kept at room temperature and do not need to be refrigerated or frozen.
18. The package is now ready for USPS pickup. You may simply place the package in your mailbox, or if you prefer, take the package to a local USPS shipping location. Please ship the samples the same day of collection.

Appendix T — Stool Sample and Shipment Notification Form

To: BioSEND Email: biosend@iu.edu

FOR STUDY STAFF TO COMPLETE:

Tracking number: _____

Site Contact: _____

Date: _____

Phone: _____

Email: _____

FOR STUDY STAFF TO COMPLETE:

Study: GutBrainLBD

Clinical ID: _____

Sex: M F

KIT BARCODE

FOR STUDY PARTICIPANT TO COMPLETE:

Stool Collection:

Date Collected:	[MM/DD/YY]	Time of Collection:	(24-hour clock)
Date last ate:	[MM/DD/YY]	Time last ate:	(24-hour clock)

Appendix U— Urine Collection

Urine Collection and Processing Procedures

1. Label one urine collection cup prior to urine collection with a pre-printed “URINE” label. Ask study subject to collect a urine specimen in the collection cup. Urine should be collected midstream and should remain as sterile as possible.
2. Label two 15 ml conical tubes with pre-printed “URINE” labels. Pour 10ml from the collection cup into each of the conical tubes.
3. Within 60 minutes of urine collection, freeze and store samples at **-80°C**. Samples should be frozen and stored **UPRIGHT**.